

CLASS "A" PERMIT

City of Los Angeles Department of Public Works Bureau of Engineering		Contact Contact Permitte Permitte	Phone:	630 N STANLEY AVE OREN GOLDMAN 3236550199 ELITE REMODELING & CONSTRUCTION INC. 6351 Wilshire Blvd Suite 101 Los Angeles, CA 90048 3236550199 New 5526-015-021				Refe Date Expir Engin Thom Issue Issuin For qu	Permit No. Reference No. Date Issued: Expiration Date: Engineering District: Thomas Guide (Page/Grid): Issued by: Issuing District: For questions regarding this permit call:		A2017-000063 C 60792 01/11/2017 07/10/2017 Central 593 C7 DENNIS BRAGIN West L.A. : (310) 575-8384	
				INSPECT	ION PRIOR T		ING WORK: (213) 485-5080				
I hereby agree to ob	oserve all requirements of the	e Los Angeles	Municipal C	ode, the S	Standard Spec	cifications, and	any special re	quirements made p	part of this permit.			
x	X Date:				Inspector:				Date:			
FIELD NOTES: REMARKS: CONSTRUCT NEW DRIVEWAY P REMOVED DUE TO APPROVED LOCATION O Frontage Curb Face to Edge of Sidewalk: Height of Curb:					AN. DRIVEWAY CANNOT BE RELOCATED IN ORD on Width of Sidewalk: Curb Face to Property Line			F	Frontage		E. TREE HAS TO BE	
Driveways:	• •	<i>(</i> 1)		00							(
Driveway No.	Case No. 1	(A) 11' 6"		(X) 3'0"		(Y) 6'6"		(W) 18' 0"	(T) 4"		(GW) 20"	
Fees:	·			0 0		00		10 0				ection Results
Fee Description		Qty	Unit	Rate	Subtotal	Discount	Net Amt.	3.00% Sur.(1)	7.00% Sur.(2)	Total	Qty	Initial
A-Permit Basic Fee		1	each	\$273.00	\$273.00	\$0.00	\$273.00	\$8.19	\$19.11	\$300.30	-	
Concrete Pvmt Insp-Driveway No. 1		324.00	Sq. Ft.	\$0.85	\$275.40	\$0.00	\$275.40	\$8.26	\$19.28	\$302.94		
Concrete Pvmt Insp-Sidewalk 1 (Replace)		104.00	•	\$0.85	\$88.40	\$0.00	\$88.40	\$2.65	\$6.19	\$97.24		
Concrete Curb Insp	1	6.00	Ft.	\$3.70	\$22.20	\$0.00	\$22.20	\$0.67	\$1.55	\$24.42		
Area Drains		2	Each	\$15.95	\$31.90	\$0.00	\$31.90	\$0.96	\$2.23	\$35.09		
Totals					\$690.90	\$0.00	\$690.90	\$20.73	\$48.36	\$759.99		

Job Location: 630 N STANLEY AVE

General Notes

Permit No. A2017-000063

Initials:

1. A copy of this permit must be at the jobsite at all times.

2. All changes in sketches and permit limits must have prior approval.

- 3. Call for inspection before noon on the workday prior to doing any work.
- 4. All work shall comply with the latest edition of the "Greenbook", Standard Specifications for Public Works Construction.
- 5. Jobsite conditions must comply with the latest edition of the "Work Area Traffic Control Handbook" (W.A.T.C.H.)
- 6. Pedestrian and vehicular access must be maintained at all times. Barricades and lights must be in use at the jobsite from the start of removals to the completion of the work.
- 7. If the contractor does not furnish barricades and protective devices, as required, the City of Los Angeles may, at its option, provide them for a fee to the contractor.
- 8. All traffic lanes (including: Through, Turning, and Peak Hour lanes) shall be unobstructed from 3:30PM to 7:00 PM and 6:00 AM to 9:00 AM. One traffic lane may be closed at all other times.
- 9. The jobsite, including temporary resurfacing, must be maintained by the permittee until all permanent resurfacing is completed.
- 10. No driveway apron shall be permitted for front yard parking per LAMC Sec 12.21 C (g).
- 11. Sawcut all removals. No backfill or concrete shall be placed without approval of the inspector.
- 12. Slurry cement backfill is required in all public streets and alleys. Laterals require inspection before the backfill is placed.
- 13. Only Bonded Sewer Contractors are permitted to make sewer connections in the public right of way.
- 14. Property line connections must be completed prior to calling for inspection.
- 15. All permanent resurfacing must be completed within 3 weeks of the temporary resurfacing or the completion of the job.

16. All permanent resurfacing must be identified by an approved marker/tag identifying the permittee and the year the work was completed. Tags are to be placed as close to the curb as possible. For

excavations less than 50 feet long, only one tag should be placed in the middle. For longer excavations, tags should be placed at 50 feet intervals and at both ends.

17. The permittee is required to contact any other agencies impacted by their work.

18. PERMITTEE SHALL STOP WORK AND CONTACT THE PERMITTING AGENCY PRIOR TO CUTTING OR EXCAVATING ANY DECORATIVE SIDEWALK, PAVEMENT, OR CROSSWALK.

19. ANY DAMAGE TO DECORATIVE SIDEWALK, PAVEMENT, OR CROSSWALK MUST BE REPAIRED IN KIND OR RECONSTRUCTED IN KIND BY THE PERMITTEE, AS DIRECTED BY THE PERMITTING AGENCY, IN A MANNER SATISFACTORY TO THE CITY ENGINEER AND THE INSPECTOR OF PUBLIC WORKS.

20. NO CONSTRUCTION TO BE DONE ON WEEKDAYS OR WEEKENDS DURING THE HOLIDAY SEASON. CONSTRUCTION MORATORIUM BEGINS MONDAY, NOVEMBER 21, 2016 AND ENDS ON SATURDAY, JANUARY 2, 2017.

21. See LAMC Sec 62.115 regarding refunds of this permit

22. This permit does not allow occupying/fencing-off/separating and utilizing the public right-of-way permitted work area prior to the start of work or after the work is completed. Furthermore, the work area shall not be used for storage, parking, or staging of the construction activities on the private property

(1) The 3% surcharge funds improvements for the Development Services Trust Fund (LAMC 57.118.4 and 61.17).

(2) The 7% surcharge funds the Public Works Engineering Equipment and Training Trust Fund (LAMC 61.03).

Minimum Inspection Charges: a 10 sq. ft. applies to driveways, sidewalks, access ramps, alley intersections, street resurfacing, and gutters. A 3 In. ft. applies to curbs and curb cuts.

Underground Service Alert Bureau of Street Lighting	(800) 422-4133	Call 48 hours prior to work
Street Light Relocation	(213) 847-1551	Call 48 hours prior to work
Dept. of Transportation		
Traffic Signal Relocation	(213) 485-2261	Call 48 hours prior to work
Parking Meter Removal/Relocation	(213) 485-2273	
Department of Water and Power Water Meter Removal/Relocation	(800) 342-5397	
Bureau of Street Services		
Street Tree Removal/Trimming	(213) 847-3077	
Barricades/Street Closure	(213) 485-5691	
Street Tree Inspection	(800) 996-2489	

##